

Fluorescein for Ocular Angiography

Drug Preparations

- Fluorescite 10% for injection in single use 5ml vials (Alcon Inc)
 - [FDA information](#)
 - [Package Insert](#)
- AK-Fluor 10% (Akorn)
 - 100 mg/ml in 5 ml single vials
 - [Info from Company](#)
 - [Package Insert](#)
- AK-Fluor 25% (Akorn)
 - 250 mg/ml in 2 ml single vials
 - [Info from Company](#)
 - [Package Insert](#)

IV Dosing

- Adults
 - 500 mg (100 mg/ml) via IV
- Children
 - 35 mg for each 10 lbs body weight (7.7 mg/kg) up to 500 mg max.

Oral Dosing

- 10 cc (two vials) of 10% solution in 8 ounces of orange or apple juice
 - [Jeffrey Sobel. Journal of Ophthalmic Photography. 1996;18\(1\):38-40](#)
- 25 mg/kg or 500 mg capsules
 - [Oral Fluorescein Angiography using capsules. British Journal of Ophthalmology 1990;74:458-461](#)
- 4ml of 25% Fluorescein Lite (25mg/kg) (Hub Pharmaceuticals) mixed with 30 ml Orange Juice, followed by additional 30 ml of plain orange juice to clear the taste.
 - [Oral FFA vs SD-OCT. Retina. 2013 September;33\(8\):1574-1583](#)

[drugs](#)

From:

<https://childreneye.org/wiki/> - **Children's Eye Wiki**

Permanent link:

<https://childreneye.org/wiki/doku.php?id=fluorescein>

Last update: **2022/03/03 19:27**

